

SEARCH REQUEST FORM

112796

Requestor's Name: DAVE NGUYEN Serial Number: 101081, 463
Date: 11/21/04 Phone: 571-270-0731 Art Unit: 1632

Search Topic:

Please write a detailed statement of search topic. Describe specifically as possible the subject matter to be searched. Define any terms that may have a special meaning. Give examples or relevant citations, authors, keywords, etc., if known. For sequences, please attach a copy of the sequence. You may include a copy of the broadest and/or most relevant claim(s).

MEI

Please search the formula as set forth
in clm 78

DAVE NG.

Random Bldg
2D31

STAFF USE ONLY

Date completed: 11/31/04
Searcher: Sheppard
Terminal time: _____
Elapsed time: _____
CPU time: _____
Total time: _____
Number of Searches: _____
Number of Databases: _____

Search Site
____ STIC
____ CM-1
____ Pre-S
Type of Search
____ N.A. Sequence
____ A.A. Sequence
____ Structure
____ Bibliographic

Vendors
____ IG
____ STN
____ Dialog
____ APS
____ Geninfo
____ SDC
____ DARC/Questel
____ Other

BEST AVAILABLE COPY

=> fil hcaplus
 FILE 'HCAPLUS' ENTERED AT 18:51:28 ON 31 JAN 2004
 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
 PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
 COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)


Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 31 Jan 2004 VOL 140 ISS 6
 FILE LAST UPDATED: 30 Jan 2004 (20040130/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>
 =>



=> d stat que 117
 L12 STR



NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 12

STEREO ATTRIBUTES: NONE
 L14 5245 SEA FILE=REGISTRY SSS FUL L12
 L15 STR



NODE ATTRIBUTES:
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:
 RING(S) ARE ISOLATED OR EMBEDDED
 NUMBER OF NODES IS 29

STEREO ATTRIBUTES: NONE
 L16 5 SEA FILE=REGISTRY SUB=L14 SSS FUL L15
 L17 3 SEA FILE=HCAPLUS ABB=ON PLU=ON L16

=>
 =>

=> d ibib abs hitrn l17 1-3

L17 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2003:696726 HCAPLUS

DOCUMENT NUMBER: 139:224407

TITLE: Folate-conjugated compns. for treatment of acute myeloid leukemia by inducing folate receptor-.beta. expression

INVENTOR(S): Lee, Robert J.; Ratnam, Manohar

PATENT ASSIGNEE(S): The Ohio State University Research Foundation, USA

SOURCE: PCT Int. Appl., 48 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

WO 2003072091 A1 20030904 WO 2003-US5961 20030227

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM

RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

US 2003170299 A1 20030911 US 2003-375888 20030227

PRIORITY APPLN. INFO.: US 2002-360408P P 20020227

AB The invention provides a method for treating leukemia in a patient. The method comprises administering to the patient a substance that increases expression of folate receptor-.beta. on leukemia cells in the patient, called a FR-.beta. inducer, and administering a folate-conjugated therapeutic that targets the leukemia cells in the patient. The invention also comprises pharmaceutical compns. contg. one or both of a FR-.beta. inducer and a folate-conjugated therapeutic. The invention also provides a kit for use in treating leukemia in a patient, the kit comprising an FR-.beta. inducer and a folate-conjugated therapeutic.

IT 591752-80-6

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(folate-conjugated compns. for treatment of acute myeloid leukemia by inducing folate receptor-.beta. expression)

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L17 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2000:725435 HCAPLUS

DOCUMENT NUMBER: 133:301170

TITLE: Fusogenic lipids and vesicles for delivery of pharmaceutical agents

INVENTOR(S): Leamon, Christopher Paul

PATENT ASSIGNEE(S): Isis Pharmaceuticals, Inc., USA

SOURCE: PCT Int. Appl., 65 pp.

 CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2000059474	A1	20001012	WO 2000-US9473	20000406
W:			AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM	
RW:			GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG	
US 6379698	B1	20020430	US 1999-287175	19990406
EP 1165047	A1	20020102	EP 2000-921959	20000406
R:			AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO	
JP 2002541089	T2	20021203	JP 2000-609038	20000406

US 2003082154 A1 20030501 US 2002-81463 20020222
 PRIORITY APPLN. INFO.: US 1999-287175 A 19990406
 WO 2000-US9473 W 20000406

OTHER SOURCE(S): MARPAT 133:301170

AB Novel lipid compds. are provided that may be termed "pro-cationic" in that they are neutral or neg. charged until they are either brought into contact with cellular membranes or are internalized by cells. The lipids have a hydrophobic tail group and a hydrophilic head group, the head group incorporating both a pos. and neg. charged region at physiol. pH. The hydrophobic tail group is stably connected to the pos. region of the head group which in turn is connected to the neg. region by a disulfide bond that is susceptible to cleavage by membrane-bound and intracellular factors. Cleavage of the disulfide bond removes the neg. charged region from the head group resulting in a lipid that is cationic and therefore fusogenic with neg. charged cell membranes. Consequently, lipids of the invention are useful as components of liposomes that serve as vehicles for delivering pharmaceutical agents into cells with reduced toxicity. Cholesteryl-[N-[(1-amidonobutyl)aminoethyl]carbamoyl]-dithiosuccinate (CHETSu) was prepd., and mixed with dioleoylphosphatidylethanolamine (DOPE). A phosphorothioate backbone oligonucleotide ISIS-5132 soln. was prepd. and added to the lipids to form large multi-lamellar liposomes.

IT 300711-56-2P

RL: SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(fusogenic lipids and vesicles for liposome drug delivery systems)

REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L17 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1992:235322 HCAPLUS

DOCUMENT NUMBER: 116:235322

TITLE: Novel regio- and stereoselective synthesis of 6-substituted pteridines and naturally occurring L-erythro-biopterin

AUTHOR(S): Murata, Shizuaki; Sugimoto, Takashi; Ogiwara, Shoji; Mogi, Kouichi; Wasada, Hiroaki


CORPORATE SOURCE: Coll. Gen. Educ., Nagoya Univ., Nagoya, 464-01, Japan

SOURCE: Synthesis (1992), (3), 303-8
 CODEN: SYNTBF; ISSN: 0039-7881

DOCUMENT TYPE: Journal

LANGUAGE: English

GI



AB Condensation of 2,4,5-triamino-6-butoxypyrimidine with 2-formyloxiranes I (R = Me, Pr, Ph, R1 = H; R = H, R1 = Me) followed by oxidn. with iodine affords 2-amino-4-butoxy-6-(1-hydroxyalkyl)pteridines II (R2 = CHROH, Me) regioselectively. Naturally occurring L-erythro-biopterin is synthesized from (1S,2S,3S)-2-formyl-3-(1-hydroxyethyl)oxirane. The reaction proceeds via 5,6-dihydropteridine, and the mechanism is discussed with the help of MO calcs.

IT 141191-98-2P 141271-04-7P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(prepn. and hydrolysis of)
IT 141191-96-0P
RL: SPN (Synthetic preparation); PREP (Preparation)
(prepn. of)

=>
=>

=> fil caold
FILE 'CAOLD' ENTERED AT 18:51:47 ON 31 JAN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1907-1966
FILE LAST UPDATED: 01 May 1997 (19970501/UP)

This file contains CAS Registry Numbers for easy and accurate substance identification. Title keywords, authors, patent assignees, and patent information, e.g., patent numbers, are now searchable from 1907-1966. TIFF images of CA abstracts printed between 1907-1966 are available in the PAGE display formats.

This file supports REGISTRY for direct browsing and searching of all substance data from the REGISTRY file. Enter HELP FIRST for more information.

=>
=>

=> s l16
L18 0 L16

=>
=>

=> fil reg
FILE 'REGISTRY' ENTERED AT 18:51:56 ON 31 JAN 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 30 JAN 2004 HIGHEST RN 644468-14-4
DICTIONARY FILE UPDATES: 30 JAN 2004 HIGHEST RN 644468-14-4

TSCA INFORMATION NOW CURRENT THROUGH JULY 14, 2003

Please note that search-term pricing does apply when conducting SmartSELECT searches.

Crossover limits have been increased. See HELP CROSSOVER for details.

Experimental and calculated property data are now available. For more information enter HELP PROP at an arrow prompt in the file or refer to the file summary sheet on the web at:
<http://www.cas.org/ONLINE/DBSS/registryss.html>


=>

=>


=> d ide can l16 tot

L16 ANSWER 1 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
 RN 591752-80-6 REGISTRY
 CN Poly(oxy-1,2-ethanediyl), .alpha.-[2-[[[(4S)-4-[[4-[[[(2-amino-1,4-dihydro-4-oxo-6-pteridinyl)methyl]amino]benzoyl]amino]-4-carboxy-1-oxobutyl]amino]ethyl]-.omega.-[2-[[[(3.beta.)-cholest-5-en-3-yloxy]carbonyl]amino]ethoxy]- (9CI) (CA INDEX NAME)
 MF (C2 H4 O)_n C51 H73 N9 O8
 CI PMS
 PCT Polyether
 SR CA
 LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL


PAGE 1-A



PAGE 1-B



PAGE 1-C




1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)


REFERENCE 1: 139:224407

L16 ANSWER 2 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
RN 300711-56-2 REGISTRY
CN Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-[[16-[(3.beta.)-cholest-5-en-3-yloxy]-11-imino-16-oxo-6,7-dithia-3,12,15-triazahexadec-1-yl]oxy]-, 26-ester with N-[4-[[[(2-amino-1,4-dihydro-4-oxo-6-pteridinyl)methyl]amino]benzoyl]-L-.gamma.-glutamyl-N6-carboxy-L-lysine (9CI) (CA INDEX NAME)
MF (C2 H4 O)n C64 H97 N13 O11 S2
CI PMS
PCT Polyether
SR CA
LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL


PAGE 1-A



PAGE 1-B



PAGE 1-C




PAGE 1-D

---CHMe2

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 133:301170

L16 ANSWER 3 OF 5 REGISTRY COPYRIGHT 2004 ACS.on STN
RN 141271-04-7 REGISTRY
CN Androst-5-ene-17-carboxylic acid, 3-(acetyloxy)-, 2-(2-amino-4-butoxy-6-pteridiny1)-2-hydroxy-1-methylethyl ester, [3.beta.,17.beta.(1R,2S)]-(9CI) (CA INDEX NAME)
MF C35.H49.N5.O6
SR CA
LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 116:235322

L16 ANSWER 4 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
RN 141191-98-2 REGISTRY
CN Androst-5-ene-17-carboxylic acid, 3-(acetyloxy)-, 2-(2-amino-4-butoxy-6-pteridiny)-2-hydroxy-1-methylethyl ester, [3.beta.,17.beta.(1S,2R)]-(9CI) (CA INDEX NAME)
MF C35 H49 N5 O6
SR CA
LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)




PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 116:235322

L16 ANSWER 5 OF 5 REGISTRY COPYRIGHT 2004 ACS on STN
RN 141191-96-0 REGISTRY
CN Androst-5-ene-17-carboxylic acid, 3-(acetyloxy)-, 2-(2-amino-4-butoxy-6-pteridiny1)-2-methoxy-1-methylethyl ester, [3.beta.,17.beta.(1S)]- (9CI)
(CA INDEX NAME)
MF C36 H51 N5 O6
SR CA
LC STN Files: BEILSTEIN*, CA, CAPLUS
(*File contains numerically searchable property data)



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

REFERENCE 1: 116:235322